

**Table 4B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**

Page: 1  
Run Date: 3 / 23 / 10

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adams	777	85.5	0.3	12.2	0.0	0.3	1.8	0.0
Allen	11,785	40.5	26.4	19.4	0.0	5.7	8.0	0.0
Bartholome	2,006	72.4	1.3	23.4	0.0	0.1	2.8	0.0
Benton	205	80.0	0.0	17.6	0.0	0.0	2.4	0.0
Blackford	396	92.7	1.5	3.0	0.3	0.0	2.5	0.0
Boone	750	89.9	1.1	7.2	0.0	0.3	1.6	0.0
Brown	324	92.9	0.3	6.2	0.0	0.0	0.6	0.0
Carroll	393	81.9	0.8	14.0	0.0	0.0	3.3	0.0
Cass	1,733	54.0	1.3	41.3	0.1	1.0	2.4	0.0
Clark	2,779	61.5	10.7	21.3	0.1	0.7	5.7	0.0
Clay	1,068	94.3	0.3	2.6	0.0	0.4	2.4	0.0
Clinton	1,434	52.6	0.9	44.6	0.0	0.3	1.5	0.0
Crawford	293	97.3	0.0	1.7	0.0	0.0	1.0	0.0
Daviess	831	70.3	0.0	26.1	0.0	0.0	3.6	0.0
Dearborn	1,264	95.1	0.9	0.8	0.1	0.3	2.8	0.0
Decatur	870	94.9	0.2	3.8	0.1	0.2	0.7	0.0
DeKalb	949	89.0	0.7	7.1	0.1	0.5	2.5	0.0
Delaware	3,017	74.6	12.5	4.0	0.2	0.2	8.6	0.0
Dubois	1,025	64.4	0.6	31.9	0.0	0.8	2.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**

Page: 2  
Run Date: 3 / 23 / 10

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Elkhart	8,433	42.7	9.9	42.6	0.0	0.5	4.3	0.0
Fayette	886	94.4	1.2	1.7	0.0	0.1	2.6	0.0
Floyd	1,790	66.1	15.9	9.9	0.2	3.2	4.6	0.0
Fountain	497	95.8	0.4	2.4	0.0	0.4	1.0	0.0
Franklin	400	98.3	0.0	1.0	0.0	0.0	0.8	0.0
Fulton	757	86.5	0.8	10.0	0.0	0.1	2.5	0.0
Gibson	773	85.8	3.4	2.6	0.3	0.4	7.6	0.0
Grant	2,353	67.9	12.2	11.5	0.0	0.3	8.1	0.0
Greene	756	95.4	0.9	2.8	0.0	0.1	0.8	0.0
Hamilton	2,671	73.5	7.9	14.0	0.3	1.7	2.7	0.0
Hancock	1,044	87.7	1.7	6.0	0.2	0.3	4.0	0.0
Harrison	949	89.7	0.7	6.5	0.1	0.6	2.3	0.0
Hendricks	1,503	84.5	4.9	5.7	0.1	2.7	2.2	0.0
Henry	1,406	91.4	1.1	3.6	0.1	0.4	3.4	0.0
Howard	2,863	74.1	10.9	7.0	0.0	0.3	7.7	0.0
Huntington	986	93.1	0.0	4.3	0.0	0.1	2.5	0.0
Jackson	1,435	76.1	1.2	22.0	0.0	0.6	0.1	0.0
Jasper	996	81.8	1.1	15.2	0.0	0.0	1.9	0.0
Jay	553	84.8	0.4	12.1	0.0	0.0	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**

Page: 3  
Run Date: 3 / 23 / 10

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Jefferson	952	81.4	0.6	12.4	0.0	0.4	5.1	0.0
Jennings	1,263	92.3	2.0	4.9	0.1	0.4	0.3	0.0
Johnson	2,751	80.6	1.4	9.7	0.0	3.8	4.5	0.0
Knox	979	88.7	2.1	4.0	0.1	0.0	5.1	0.0
Kosciusko	1,552	65.1	1.1	31.3	0.1	0.3	2.2	0.0
LaGrange	656	82.9	0.8	13.6	0.0	0.3	2.4	0.0
Lake	17,358	24.7	42.6	29.6	0.1	0.4	2.6	0.0
LaPorte	3,486	59.8	19.7	15.1	0.0	0.4	5.0	0.0
Lawrence	1,177	95.1	0.6	2.4	0.0	0.8	1.1	0.0
Madison	3,380	67.4	12.2	13.0	0.1	0.1	7.2	0.0
Marion	31,917	27.8	37.9	28.0	0.2	2.5	3.6	0.0
Marshall	1,427	67.3	1.1	29.2	0.0	0.1	2.3	0.0
Martin	276	96.4	0.4	1.1	0.0	0.4	1.8	0.0
Miami	1,048	85.4	2.0	5.0	0.6	0.3	6.8	0.0
Monroe	2,666	73.4	6.1	7.7	0.0	3.9	8.9	0.0
Montgomery	1,130	80.5	1.8	16.1	0.0	0.2	1.4	0.0
Morgan	1,570	94.3	0.4	2.2	0.0	0.2	2.9	0.0
Newton	277	85.9	0.0	13.0	0.0	0.4	0.7	0.0
Noble	1,179	60.8	0.3	36.1	0.1	0.7	2.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**

Page: 4  
Run Date: 3 / 23 / 10

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Ohio	53	*	*	*	*	*	*	*
Orange	714	93.3	2.2	2.4	0.4	0.1	1.5	0.0
Owen	516	95.5	0.2	3.5	0.0	0.0	0.8	0.0
Parke	347	90.5	0.0	7.5	0.0	0.6	1.4	0.0
Perry	459	94.8	0.2	2.0	0.0	0.2	2.8	0.0
Pike	260	94.6	0.0	2.3	0.0	0.0	3.1	0.0
Porter	2,973	72.1	6.9	16.4	0.0	0.6	3.9	0.0
Posey	384	85.7	2.6	3.9	0.0	0.0	7.8	0.0
Pulaski	430	94.7	0.0	4.2	0.0	0.2	0.9	0.0
Putnam	974	92.6	1.4	2.2	0.0	0.7	3.1	0.0
Randolph	677	82.6	0.6	13.0	0.1	0.1	3.5	0.0
Ripley	845	93.7	0.1	4.9	0.0	0.2	1.1	0.0
Rush	388	92.0	1.0	3.4	0.5	0.3	2.8	0.0
Scott	1,006	93.5	0.3	4.5	0.0	0.2	1.5	0.0
Shelby	1,125	81.7	1.0	15.9	0.0	0.0	1.4	0.0
Spencer	386	88.6	0.3	8.3	0.0	0.0	2.8	0.0
St Joseph	7,658	39.7	27.9	23.6	0.2	1.3	7.4	0.0
Starke	862	90.4	0.1	7.8	0.0	0.0	1.7	0.0
Steuben	1,361	86.1	0.6	10.0	0.0	1.0	2.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**

Page: 5  
Run Date: 3 / 23 / 10

**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Sullivan	546	95.2	0.2	2.9	0.0	0.0	1.6	0.0
Switzerlan	202	90.1	2.0	5.9	0.0	0.0	2.0	0.0
Tippecanoe	5,265	53.8	10.0	26.9	0.4	4.8	4.2	0.0
Tipton	282	91.8	0.7	6.4	0.0	0.0	1.1	0.0
Union	195	90.3	0.5	1.0	0.0	0.5	7.7	0.0
Vanderburg	4,399	63.7	21.4	6.2	0.0	0.7	8.0	0.0
Vermillion	422	97.9	0.0	1.2	0.5	0.0	0.5	0.0
Vigo	2,726	77.3	8.1	4.3	0.0	0.8	9.5	0.0
Wabash	1,004	84.8	0.2	8.8	0.0	0.2	6.0	0.1
Warren	261	96.6	0.4	2.7	0.0	0.4	0.0	0.0
Warrick	952	91.0	1.2	2.3	0.1	0.1	5.4	0.0
Washington	773	95.0	0.0	2.8	0.0	0.3	1.9	0.0
Wayne	2,292	71.5	5.8	10.1	0.2	0.3	12.2	0.0
Wells	593	91.2	1.5	5.1	0.0	0.2	2.0	0.0
White	829	70.1	0.4	28.0	0.0	0.1	1.4	0.0
Whitley	922	93.4	0.8	4.6	0.0	0.4	0.9	0.0
<b>Indiana</b>	<b>181,075</b>	<b>57.8</b>	<b>17.3</b>	<b>19.0</b>	<b>0.1</b>	<b>1.4</b>	<b>4.4</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>31.7</b>	<b>18.8</b>	<b>41.0</b>	<b>1.0</b>	<b>2.6</b>	<b>2.1</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 6  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Adams	777	35.6	19.8	44.5
Allen	11,785	31.8	22.6	45.7
Bartholome	2,006	39.1	20.6	40.2
Benton	205	28.8	23.4	47.8
Blackford	396	35.4	20.7	43.9
Boone	750	31.5	26.5	42.0
Brown	324	33.0	24.4	42.6
Carroll	393	32.6	21.1	46.3
Cass	1,733	32.5	18.6	48.9
Clark	2,779	39.2	21.4	39.4
Clay	1,068	29.4	22.6	48.0
Clinton	1,434	34.3	17.0	48.7
Crawford	293	34.8	20.8	44.4
Daviess	831	26.7	27.4	45.8
Dearborn	1,264	37.9	20.3	41.9
Decatur	870	35.5	17.8	46.7
DeKalb	949	36.7	23.2	40.1
Delaware	3,017	40.1	21.1	38.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 7  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Dubois	1,025	40.7	18.7	40.6
Elkhart	8,433	33.4	21.8	44.8
Fayette	886	36.0	22.8	41.2
Floyd	1,790	38.3	20.2	41.5
Fountain	497	33.6	20.7	45.7
Franklin	400	34.0	22.5	43.5
Fulton	757	36.5	22.2	41.3
Gibson	773	38.6	18.5	42.9
Grant	2,353	37.1	18.9	43.9
Greene	756	36.9	21.2	41.9
Hamilton	2,671	38.5	19.9	41.6
Hancock	1,044	39.2	22.3	38.5
Harrison	949	38.3	19.7	42.0
Hendricks	1,503	40.5	23.1	36.5
Henry	1,406	38.0	17.6	44.5
Howard	2,863	35.9	20.5	43.6
Huntington	986	37.2	21.1	41.7
Jackson	1,435	35.7	21.1	43.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 8  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Jasper	996	35.0	19.9	45.1
Jay	553	40.1	21.9	38.0
Jefferson	952	39.2	21.1	39.7
Jennings	1,263	32.2	18.1	49.7
Johnson	2,751	41.8	18.8	39.4
Knox	979	29.9	25.1	44.9
Kosciusko	1,552	34.1	25.3	40.6
LaGrange	656	34.0	19.5	46.5
Lake	17,358	37.6	18.9	43.6
LaPorte	3,486	37.7	19.8	42.5
Lawrence	1,177	40.8	19.6	39.6
Madison	3,380	40.4	19.9	39.7
Marion	31,917	34.5	26.4	39.0
Marshall	1,427	36.5	20.7	42.8
Martin	276	37.7	21.0	41.3
Miami	1,048	33.1	19.5	47.4
Monroe	2,666	38.2	18.5	43.3
Montgomery	1,130	32.3	23.5	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 9  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Morgan	1,570	41.2	20.3	38.5
Newton	277	36.1	21.7	42.2
Noble	1,179	28.7	29.0	42.3
Ohio	53	*	*	*
Orange	714	34.5	17.8	47.8
Owen	516	34.5	23.1	42.4
Parke	347	38.9	19.3	41.8
Perry	459	41.6	16.1	42.3
Pike	260	46.9	17.7	35.4
Porter	2,973	40.0	19.6	40.4
Posey	384	40.9	19.5	39.6
Pulaski	430	36.0	19.1	44.9
Putnam	974	34.2	22.8	43.0
Randolph	677	43.3	19.8	36.9
Ripley	845	37.4	20.1	42.5
Rush	388	35.3	22.9	41.8
Scott	1,006	33.0	19.4	47.6
Shelby	1,125	39.2	19.8	41.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 10  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Spencer	386	35.2	20.7	44.0
St Joseph	7,658	31.0	24.2	44.8
Starke	862	33.9	19.5	46.6
Steuben	1,361	28.8	19.3	51.9
Sullivan	546	36.8	17.0	46.2
Switzerlan	202	39.6	14.4	46.0
Tippecanoe	5,265	34.5	21.3	44.2
Tipton	282	31.9	22.0	46.1
Union	195	32.8	21.5	45.6
Vanderburg	4,399	42.6	18.4	39.0
Vermillion	422	33.4	23.2	43.4
Vigo	2,726	39.8	21.0	39.2
Wabash	1,004	35.0	18.8	46.2
Warren	261	28.4	22.6	49.0
Warrick	952	39.8	17.5	42.6
Washington	773	37.0	18.6	44.4
Wayne	2,292	38.4	20.3	41.3
Wells	593	38.6	18.5	42.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Indiana**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 11  
Run Date: 3 / 23 / 10

<b>Comparison of Age Distribution</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
White	829	36.7	19.5	43.8
Whitley	922	35.4	21.0	43.6
<b>Indiana</b>	<b>181,075</b>	<b>35.9</b>	<b>21.7</b>	<b>42.4</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>35.8</b>	<b>23.0</b>	<b>41.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 12  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams	178	7.9 (25)	6.2 (38)	770	7.9 (81)	3.8 (78)	10.6 (19)	332	14.8 (18)	13.3 (28)		562	24.6 (88)
Allen	2,794	9.2 (45)	4.7 (16)	11,591	6.5 (54)	3.1 (57)	12.8 (57)	5,300	16.5 (35)	14.0 (36)		8,325	18.1 (73)
Bartholome	522	8.4 (35)	5.7 (31)	1,891	5.4 (26)	2.3 (23)	11.1 (29)	802	16.2 (31)	14.8 (47)		1,356	8.7 (16)
Benton	42	* *	* *	203	3.4 (2)	1.5 (8)	11.8 (37)	97	* *	* *		145	17.2 (71)
Blackford	100	12.0 (72)	5.0 (19)	389	5.7 (37)	3.6 (69)	10.3 (11)	171	12.3 (2)	14.6 (44)		282	8.9 (20)
Boone	205	8.3 (32)	4.9 (18)	734	6.5 (54)	2.5 (32)	10.9 (24)	305	13.8 (8)	12.1 (16)		482	15.4 (60)
Brown	72	* *	* *	320	5.6 (32)	2.2 (21)	13.4 (69)	134	15.7 (25)	18.7 (80)		239	2.1 (1)
Carroll	82	* *	* *	389	4.4 (7)	2.6 (36)	14.4 (78)	186	18.8 (61)	18.8 (81)		304	10.2 (28)
Cass	358	8.7 (40)	5.9 (34)	1,686	5.3 (20)	2.7 (42)	13.9 (74)	835	17.1 (40)	16.8 (64)		1,284	12.2 (42)
Clark	745	9.7 (55)	5.6 (30)	2,722	7.3 (73)	2.4 (29)	13.4 (69)	1,064	17.4 (47)	17.2 (68)		1,943	18.4 (76)
Clay	220	3.2 (1)	9.1 (67)	1,055	5.3 (20)	2.3 (23)	15.2 (83)	523	18.7 (60)	18.0 (74)		752	8.0 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 13  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Clinton	302	5.3 (6)	10.6 (75)	1,406	5.8 (42)	1.1 (1)	15.9 (88)	680	19.1 (67)	17.8 (73)	1,056	12.6 (45)	
Crawford	71	* *	* *	287	8.4 (83)	3.5 (67)	9.4 (4)	125	18.4 (59)	13.6 (32)	205	10.7 (31)	
Daviess	186	11.3 (67)	0.5 (1)	818	6.7 (60)	1.1 (1)	16.7 (89)	374	19.0 (64)	24.3 (87)	578	16.8 (70)	
Dearborn	313	6.7 (12)	6.4 (40)	1,247	5.5 (30)	2.8 (45)	11.0 (26)	536	19.2 (68)	15.3 (55)	876	11.3 (36)	
Decatur	177	5.1 (5)	3.4 (5)	851	3.8 (3)	2.1 (17)	13.2 (65)	400	19.8 (75)	16.5 (62)	637	6.8 (7)	
DeKalb	323	7.7 (21)	10.2 (74)	927	6.8 (62)	3.7 (72)	13.3 (67)	377	23.1 (87)	18.6 (79)	561	8.7 (16)	
Delaware	852	10.7 (60)	3.8 (9)	2,948	6.2 (47)	7.3 (90)	10.4 (16)	1,152	13.9 (9)	12.6 (21)	2,079	20.2 (82)	
Dubois	264	9.5 (53)	6.8 (46)	997	6.0 (45)	2.9 (48)	10.5 (18)	404	17.6 (50)	14.1 (37)	738	9.5 (21)	
Elkhart	1,976	7.7 (21)	7.3 (55)	8,307	5.0 (15)	1.8 (12)	12.2 (48)	3,750	18.2 (58)	15.5 (56)	6,010	7.0 (8)	
Fayette	235	8.9 (43)	4.3 (13)	863	7.2 (70)	2.8 (45)	9.7 (5)	364	19.0 (64)	11.5 (9)	588	20.6 (84)	
Floyd	428	10.5 (59)	3.7 (7)	1,761	7.4 (76)	2.3 (23)	15.4 (85)	743	20.2 (81)	17.6 (70)	1,214	15.0 (55)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 14  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)	
Fountain	121	5.0 (4)	5.8 (33)	489	5.1 (16)	2.5 (32)	12.9 (62)	223	19.7 (74)	17.0 (66)	339	10.6 (29)	
Franklin	108	8.3 (32)	3.7 (7)	389	7.5 (78)	3.6 (69)	12.9 (62)	168	19.6 (73)	16.7 (63)	273	25.3 (90)	
Fulton	184	9.2 (45)	3.3 (4)	749	5.3 (20)	3.2 (58)	12.7 (56)	312	17.3 (46)	17.3 (69)	539	18.9 (78)	
Gibson	190	8.4 (35)	3.2 (3)	762	6.4 (52)	1.3 (6)	12.6 (54)	330	16.1 (29)	15.5 (56)	538	11.5 (39)	
Grant	586	11.9 (71)	5.3 (23)	2,274	8.7 (84)	3.4 (65)	15.3 (84)	1,005	16.2 (31)	18.2 (77)	1,627	25.3 (90)	
Greene	174	6.9 (14)	6.3 (39)	745	7.8 (80)	2.0 (14)	15.7 (87)	321	15.9 (27)	19.6 (84)	539	7.4 (10)	
Hamilton	614	8.5 (38)	6.8 (46)	2,595	5.7 (37)	3.5 (67)	10.2 (9)	1,094	13.6 (6)	11.7 (11)	1,877	12.4 (44)	
Hancock	256	8.2 (30)	6.6 (44)	1,031	7.9 (81)	1.2 (5)	12.9 (62)	390	15.6 (22)	11.3 (6)	729	14.3 (52)	
Harrison	235	12.3 (73)	8.1 (60)	934	9.5 (87)	2.2 (21)	12.8 (57)	396	15.4 (20)	16.9 (65)	664	11.0 (33)	
Hendricks	433	8.1 (28)	8.1 (60)	1,479	5.7 (37)	4.3 (82)	10.4 (16)	538	19.9 (77)	11.7 (11)	950	16.7 (68)	
Henry	355	10.7 (60)	5.9 (34)	1,379	5.1 (16)	4.1 (80)	8.5 (1)	607	14.2 (11)	11.5 (9)	1,040	9.8 (25)	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 15  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Howard	653	8.9 (43)	5.2 (22)	2,775	6.7 (60)	2.7 (42)	13.2 (65)	1,238	19.4 (70)	15.8 (61)		2,072	23.0 (87)
Huntington	240	11.7 (69)	4.2 (12)	974	6.9 (63)	3.0 (51)	10.6 (19)	413	12.6 (4)	11.9 (14)		700	9.7 (23)
Jackson	346	4.3 (2)	4.0 (10)	1,418	5.5 (30)	1.6 (9)	12.2 (48)	602	21.6 (85)	18.8 (81)		1,034	8.4 (15)
Jasper	228	12.7 (74)	7.0 (50)	959	5.3 (20)	5.1 (87)	11.2 (31)	443	17.4 (47)	13.1 (26)		726	18.9 (78)
Jay	140	9.3 (49)	5.7 (31)	549	4.9 (14)	2.9 (48)	12.8 (57)	207	17.9 (56)	20.8 (85)		385	16.4 (66)
Jefferson	245	9.4 (51)	7.3 (55)	936	7.3 (73)	2.1 (17)	15.0 (82)	374	21.1 (83)	21.1 (86)		650	10.9 (32)
Jennings	275	6.5 (9)	9.8 (70)	1,241	7.0 (66)	2.9 (48)	12.8 (57)	609	14.3 (12)	12.8 (23)		924	21.3 (86)
Johnson	737	8.0 (27)	7.1 (53)	2,653	4.7 (8)	3.7 (72)	10.2 (9)	1,069	15.9 (27)	13.5 (31)		1,889	10.0 (27)
Knox	247	9.3 (49)	5.3 (23)	964	7.2 (70)	3.7 (72)	11.2 (31)	437	15.6 (22)	14.9 (51)		617	3.9 (3)
Kosciusko	374	8.8 (41)	6.7 (45)	1,499	7.4 (76)	1.7 (10)	14.3 (77)	632	20.4 (82)	18.0 (74)		1,017	10.6 (29)
LaGrange	126	9.5 (53)	7.9 (58)	649	6.3 (48)	1.7 (10)	10.9 (24)	309	22.7 (86)	15.2 (54)		491	11.0 (33)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 16  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight								Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lake	4,258	10.4 (58)	5.3 (23)	16,932	5.6 (32)	3.0 (51)	11.2 (31)	7,433	14.0 (10)	12.0 (15)		12,286	16.1 (65)
LaPorte	861	10.9 (63)	5.1 (20)	3,412	7.2 (70)	2.4 (29)	14.8 (81)	1,465	18.8 (61)	14.5 (43)		2,414	12.3 (43)
Lawrence	316	6.6 (11)	3.5 (6)	1,155	6.9 (63)	2.5 (32)	12.1 (47)	460	17.6 (50)	13.0 (24)		819	9.5 (21)
Madison	935	10.2 (57)	6.0 (37)	3,278	8.7 (84)	2.6 (36)	12.6 (54)	1,327	16.7 (38)	13.6 (32)		2,239	21.2 (85)
Marion	9,403	9.9 (56)	5.9 (34)	31,307	6.4 (52)	4.8 (86)	12.3 (51)	12,271	16.6 (37)	14.3 (40)		19,635	17.4 (72)
Marshall	340	9.4 (51)	7.6 (57)	1,394	7.0 (66)	1.1 (1)	17.1 (90)	605	18.8 (61)	18.2 (77)		1,024	8.1 (13)
Martin	60	* *	* *	271	5.2 (19)	2.6 (36)	11.8 (37)	113	15.0 (19)	10.6 (2)		204	5.4 (4)
Miami	229	10.9 (63)	8.7 (64)	1,028	5.6 (32)	3.0 (51)	10.3 (11)	499	14.4 (13)	11.4 (7)		755	13.5 (49)
Monroe	612	6.2 (7)	8.5 (63)	2,619	5.3 (20)	2.3 (23)	12.0 (42)	1,157	17.7 (52)	14.1 (37)		1,868	13.0 (47)
Montgomery	296	8.8 (41)	7.1 (53)	1,110	5.6 (32)	3.4 (65)	10.8 (22)	490	19.8 (75)	15.5 (56)		793	13.7 (50)
Morgan	406	6.2 (7)	5.4 (26)	1,523	6.6 (57)	2.1 (17)	13.7 (72)	599	17.7 (52)	14.4 (41)		1,084	18.5 (77)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 17  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Newton	61	* *	* *	263	8.7 (84)	5.3 (88)	14.4 (78)	113	13.3 (5)	12.4 (20)		203	19.2 (80)
Noble	271	7.0 (16)	7.0 (50)	1,158	6.6 (57)	3.7 (72)	14.2 (76)	497	19.9 (77)	14.7 (46)		772	15.0 (55)
Ohio	7	* *	* *	53	* *	* *	* *	33	* *	* *		41	* *
Orange	148	10.8 (62)	6.8 (46)	695	7.6 (79)	3.0 (51)	12.2 (48)	342	19.0 (64)	13.7 (34)		519	6.7 (6)
Owen	123	6.5 (9)	9.8 (70)	509	5.9 (44)	3.7 (72)	13.4 (69)	215	17.2 (42)	17.7 (71)		382	11.5 (39)
Parke	91	* *	* *	341	7.0 (66)	2.3 (23)	12.0 (42)	144	18.1 (57)	10.4 (1)		246	15.4 (60)
Perry	126	11.1 (65)	4.8 (17)	439	19.1 (91)	3.0 (51)	27.3 (91)	185	12.4 (3)	11.4 (7)		302	24.8 (89)
Pike	74	* *	* *	255	14.1 (90)	2.0 (14)	13.7 (72)	86	* *	* *		163	2.5 (2)
Porter	729	6.9 (14)	9.1 (67)	2,904	5.4 (26)	3.2 (58)	11.1 (29)	1,180	15.8 (26)	12.2 (17)		2,059	11.2 (35)
Posey	99	* *	* *	378	6.3 (48)	3.2 (58)	10.3 (11)	147	12.2 (1)	12.2 (17)		269	9.7 (23)
Pulaski	95	* *	* *	417	5.3 (20)	4.6 (84)	10.3 (11)	191	13.6 (6)	12.6 (21)		318	11.3 (36)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 18  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)		Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Putnam	233	8.2 (30)	9.0 (66)	964	5.4 (26)	2.8 (45)	12.0 (42)		422	20.1 (80)	14.9 (51)	681	8.8 (18)
Randolph	185	9.2 (45)	5.4 (26)	669	5.1 (16)	2.7 (42)	9.7 (5)		246	16.3 (33)	11.0 (5)	459	15.3 (59)
Ripley	199	8.5 (38)	7.0 (50)	832	5.6 (32)	2.3 (23)	12.0 (42)		354	19.2 (68)	15.5 (56)	581	19.8 (81)
Rush	94	* *	* *	380	4.7 (8)	4.5 (83)	11.3 (34)		158	14.6 (15)	17.7 (71)	266	12.0 (41)
Scott	228	8.3 (32)	4.4 (14)	994	5.7 (37)	3.3 (62)	11.8 (37)		472	16.1 (29)	15.7 (60)	701	15.1 (57)
Shelby	281	7.1 (17)	8.2 (62)	1,100	5.4 (26)	1.4 (7)	14.6 (80)		454	16.5 (35)	18.1 (76)	763	13.9 (51)
Spencer	86	* *	* *	374	4.8 (11)	1.1 (1)	12.8 (57)		169	19.5 (72)	14.8 (47)	283	6.0 (5)
St Joseph	1,884	8.1 (28)	7.9 (58)	7,514	4.8 (11)	3.6 (69)	10.3 (11)		3,365	14.4 (13)	10.8 (3)	5,037	16.7 (68)
Starke	191	7.9 (25)	9.9 (72)	843	4.0 (4)	2.0 (14)	13.3 (67)		386	19.9 (77)	14.2 (39)	659	15.9 (63)
Steuben	251	6.8 (13)	9.2 (69)	1,340	4.2 (6)	4.2 (81)	11.4 (35)		702	17.8 (55)	14.8 (47)	1,010	8.8 (18)
Sullivan	135	4.4 (3)	4.4 (14)	539	6.5 (54)	3.0 (51)	11.9 (41)		245	21.2 (84)	13.9 (35)	383	14.6 (54)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 19  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Switzerlan	50	* *	* *	198	4.0 (4)	8.1 (91)	9.1 (3)	90	* *	* *		147	7.5 (11)
Tippecanoe	1,244	7.7 (21)	10.0 (73)	5,173	4.7 (8)	3.2 (58)	12.0 (42)	2,316	17.2 (42)	14.4 (41)		3,753	14.4 (53)
Tipton	53	* *	* *	274	5.8 (42)	2.6 (36)	10.6 (19)	130	14.6 (15)	14.6 (44)		218	7.3 (9)
Union	42	* *	* *	193	3.1 (1)	2.1 (17)	11.4 (35)	87	* *	* *		149	15.4 (60)
Vanderburg	1,208	11.2 (66)	4.0 (10)	4,262	6.1 (46)	2.6 (36)	10.8 (22)	1,673	17.2 (42)	13.4 (29)		2,960	9.8 (25)
Vermillion	109	9.2 (45)	6.4 (40)	418	9.8 (88)	2.4 (29)	13.9 (74)	180	17.2 (42)	18.9 (83)		298	20.5 (83)
Vigo	750	8.4 (35)	6.4 (40)	2,682	6.6 (57)	2.5 (32)	11.0 (26)	1,048	17.4 (47)	14.8 (47)		1,847	11.3 (36)
Wabash	224	7.6 (20)	5.4 (26)	984	6.3 (48)	1.9 (13)	11.0 (26)	451	16.4 (34)	13.1 (26)		713	8.1 (13)
Warren	56	* *	* *	261	5.7 (37)	5.7 (89)	8.8 (2)	129	17.1 (40)	10.9 (4)		182	16.5 (67)
Warrick	248	11.7 (69)	6.9 (49)	920	10.0 (89)	3.7 (72)	15.5 (86)	397	15.4 (20)	13.4 (29)		651	13.2 (48)
Washington	172	12.8 (75)	2.9 (2)	755	7.0 (66)	3.8 (78)	12.3 (51)	342	16.7 (38)	14.9 (51)		555	12.8 (46)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 20  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wayne	594	7.4 (19)	5.1 (20)	2,245	6.3 (48)	3.3 (62)	11.8 (37)	928	17.7 (52)	13.0 (24)		1,538	15.1 (57)
Wells	154	7.8 (24)	6.5 (43)	588	7.3 (73)	2.6 (36)	9.7 (5)	254	14.6 (15)	12.2 (17)		424	18.2 (74)
White	219	7.3 (18)	8.7 (64)	810	4.8 (11)	3.3 (62)	9.9 (8)	358	15.6 (22)	11.7 (11)		592	16.0 (64)
Whitley	220	11.4 (68)	5.5 (29)	902	6.9 (63)	4.7 (85)	12.4 (53)	392	19.4 (70)	17.1 (67)		654	18.3 (75)
Indiana	45,962	9.1	6.2	177,260	6.2	3.3	12.2	75,671	16.8	14.3		123,735	14.7
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8		4,916,523	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 21  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)									
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)	Smoking in Household	
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)	Number %  (Rank)	
Adams	178	77.0 (2)	69 * *	139 12.2 (13)	45 * *	69 * *	368 76.9 (35)	749 34.4 (26)	
Allen	2,788	55.8 (57)	1,123 20.1 (24)	2,195 8.6 (30)	729 14.8 (23)	1,094 8.0 (27)	5,521 73.7 (50)	11,477 31.1 (20)	
Bartholome	522	63.2 (34)	208 25.0 (16)	355 8.2 (33)	114 23.7 (8)	208 13.5 (5)	855 81.3 (15)	1,935 43.6 (42)	
Benton	41	* *	16 * *	35 * *	11 * *	15 * *	106 65.1 (81)	203 50.7 (67)	
Blackford	101	68.3 (17)	47 * *	77 * *	36 * *	47 * *	183 79.2 (25)	385 51.4 (70)	
Boone	206	49.0 (69)	74 * *	148 7.4 (42)	51 * *	72 * *	328 73.5 (54)	749 47.9 (55)	
Brown	73	* *	17 * *	59 * *	11 * *	17 * *	151 81.5 (13)	308 47.7 (53)	
Carroll	82	* *	31 * *	72 * *	17 * *	31 * *	198 86.4 (4)	380 17.9 (8)	
Cass	361	61.2 (42)	157 23.6 (20)	319 10.3 (20)	107 16.8 (19)	156 8.3 (23)	907 64.8 (82)	1,683 21.3 (11)	
Clark	743	69.3 (13)	301 24.3 (17)	513 12.7 (10)	192 22.4 (10)	300 11.3 (11)	1,170 69.5 (70)	2,699 37.2 (32)	
Clay	219	55.7 (58)	109 19.3 (27)	201 7.0 (45)	66 * *	108 10.2 (14)	550 72.0 (60)	1,051 51.2 (69)	
Clinton	301	76.1 (3)	131 29.8 (9)	240 10.4 (19)	93 * *	130 10.8 (12)	744 66.0 (78)	1,389 21.2 (10)	
Crawford	71	* *	31 * *	49 * *	24 * *	31 * *	137 77.4 (33)	286 57.0 (83)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 22  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>County</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Daviess	186	51.1 (66)	92	* *	165	7.9 (37)	51	* *	92	* *
Dearborn	317	53.9 (61)	123	8.9 (41)	210	4.8 (61)	78	* *	121	4.1 (39)
Decatur	177	52.5 (63)	83	* *	154	3.2 (67)	57	* *	82	* *
DeKalb	322	62.7 (35)	81	* *	149	7.4 (42)	58	* *	80	* *
Delaware	862	55.7 (58)	271	14.8 (34)	498	6.4 (48)	179	23.5 (9)	266	6.0 (33)
Dubois	265	67.9 (18)	101	36.6 (1)	188	16.0 (4)	85	* *	99	* *
Elkhart	1,979	73.3 (7)	767	33.9 (4)	1,499	13.0 (9)	505	16.4 (20)	761	9.5 (19)
Fayette	236	57.6 (52)	71	* *	160	8.8 (29)	43	* *	71	* *
Floyd	427	65.1 (29)	180	17.8 (30)	318	7.9 (37)	125	12.8 (24)	178	7.3 (31)
Fountain	123	49.6 (68)	42	* *	81	* *	22	* *	42	* *
Franklin	108	57.4 (54)	35	* *	68	* *	18	* *	33	* *
Fulton	186	62.4 (36)	74	* *	139	5.0 (58)	46	* *	72	* *
Gibson	191	41.4 (75)	76	* *	134	4.5 (64)	40	* *	74	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 23  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Grant	584	49.0 (69)	204	11.3 (40)	414	5.3 (54)	132	15.9 (21)	202	5.9 (34)	1,109	66.0 (78)	2,277	33.6 (23)
Greene	176	54.5 (60)	66	* *	144	3.5 (66)	37	* *	66	* *	343	93.6 (2)	733	36.8 (29)
Hamilton	615	71.1 (8)	256	32.4 (6)	501	14.4 (6)	170	26.5 (3)	253	12.3 (10)	1,169	81.8 (12)	2,534	27.9 (18)
Hancock	256	66.0 (26)	109	29.4 (10)	214	8.4 (32)	67	* *	106	17.9 (2)	430	74.2 (48)	985	24.6 (14)
Harrison	234	68.8 (16)	98	* *	189	5.3 (54)	59	* *	96	* *	423	76.8 (36)	917	50.6 (66)
Hendricks	432	66.2 (25)	178	28.7 (11)	264	12.1 (15)	116	28.4 (2)	176	16.5 (4)	584	81.5 (13)	1,464	38.7 (34)
Henry	356	67.1 (20)	146	24.0 (19)	270	7.8 (39)	99	* *	144	13.2 (6)	651	71.1 (65)	1,366	52.0 (72)
Howard	654	52.6 (62)	294	14.6 (35)	555	7.0 (45)	146	19.9 (14)	292	10.6 (13)	1,343	74.5 (46)	2,761	35.8 (28)
Huntington	240	60.4 (45)	95	* *	180	9.4 (26)	55	* *	95	* *	445	74.8 (43)	951	46.3 (48)
Jackson	349	62.2 (37)	162	15.4 (32)	281	8.2 (33)	97	* *	160	4.4 (38)	650	76.5 (37)	1,404	43.1 (40)
Jasper	228	64.9 (30)	84	* *	181	6.6 (47)	62	* *	84	* *	479	53.9 (86)	966	49.6 (62)
Jay	139	73.4 (6)	63	* *	99	* *	37	* *	61	* *	228	69.7 (69)	526	43.5 (41)
Jefferson	241	66.4 (24)	82	* *	162	8.6 (30)	64	* *	82	* *	402	78.4 (28)	904	16.9 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 24  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jennings	276	58.0 (48)	123	17.9 (29)	223	5.8 (50)	60	* *	122	9.8 (18)	659	78.0 (30)	1,238	50.9 (68)
Johnson	743	69.0 (15)	284	26.4 (15)	470	10.6 (18)	180	23.9 (6)	283	9.9 (16)	1,135	77.6 (32)	2,623	35.4 (27)
Knox	249	47.4 (74)	81	* *	168	7.7 (40)	53	* *	81	* *	467	90.6 (3)	973	33.8 (25)
Kosciusko	375	70.1 (11)	177	35.0 (2)	317	13.6 (8)	136	20.6 (12)	177	9.0 (22)	675	73.6 (51)	1,521	42.5 (37)
LaGrange	127	69.3 (13)	62	* *	110	12.7 (10)	31	* *	61	* *	331	84.3 (8)	622	47.4 (52)
Lake	4,266	64.0 (31)	1,550	20.8 (23)	3,047	9.4 (26)	1,003	9.4 (26)	1,528	5.1 (36)	8,025	61.1 (84)	16,536	23.1 (13)
LaPorte	863	56.2 (56)	324	31.5 (7)	582	16.5 (2)	207	21.3 (11)	320	12.8 (9)	1,386	49.4 (87)	3,337	33.7 (24)
Lawrence	317	62.1 (38)	102	13.7 (37)	202	4.5 (64)	63	* *	102	3.9 (40)	503	77.7 (31)	1,123	48.0 (56)
Madison	931	57.9 (49)	310	24.2 (18)	548	12.2 (13)	191	24.6 (5)	308	13.0 (7)	1,415	71.4 (63)	3,223	45.6 (45)
Marion	9,426	59.9 (47)	3,389	27.4 (13)	6,257	12.1 (15)	2,359	12.0 (25)	3,332	6.2 (32)	11,016	68.5 (75)	28,965	22.2 (12)
Marshall	340	66.5 (23)	159	20.1 (24)	275	10.2 (23)	105	24.8 (4)	159	8.2 (25)	651	74.2 (48)	1,386	7.5 (1)
Martin	58	* *	28	* *	61	* *	22	* *	28	* *	122	95.1 (1)	265	38.9 (35)
Miami	230	57.8 (50)	101	21.8 (21)	190	6.3 (49)	56	* *	101	9.9 (16)	527	72.3 (59)	1,015	45.1 (43)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 25  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Monroe	613	76.0 (4)	225	33.3 (5)	462	16.5 (2)	160	23.8 (7)	223	16.6 (3)	1,225	83.2 (10)	2,546	17.0 (6)
Montgomery	296	60.5 (44)	117	21.4 (22)	208	5.3 (54)	89	* *	114	7.9 (28)	522	63.4 (83)	1,116	49.7 (64)
Morgan	407	60.4 (45)	153	15.0 (33)	289	4.8 (61)	106	17.9 (17)	147	9.5 (19)	649	70.7 (68)	1,480	59.0 (87)
Newton	61	* *	32	* *	54	* *	11	* *	32	* *	126	41.3 (88)	267	63.3 (89)
Noble	272	61.4 (40)	123	26.8 (14)	250	10.8 (17)	81	* *	119	10.1 (15)	538	76.0 (39)	1,176	25.9 (16)
Ohio	7	* *	5	* *	10	* *	1	* *	5	* *	32	* *	50	* *
Orange	148	66.9 (21)	61	* *	107	10.3 (20)	32	* *	59	* *	366	71.0 (66)	673	27.0 (17)
Owen	123	67.5 (19)	55	* *	96	* *	36	* *	53	* *	235	81.3 (15)	506	50.2 (65)
Parke	91	* *	36	* *	59	* *	18	* *	36	* *	154	68.8 (74)	341	54.0 (79)
Perry	126	48.4 (71)	43	* *	68	* *	31	* *	43	* *	203	79.8 (21)	445	54.8 (80)
Pike	74	* *	18	* *	38	* *	12	* *	18	* *	94	* *	238	64.7 (91)
Porter	734	65.9 (27)	294	28.6 (12)	543	10.1 (24)	215	20.0 (13)	292	13.0 (7)	1,270	80.5 (19)	2,806	38.3 (33)
Posey	99	* *	37	* *	72	* *	23	* *	37	* *	164	73.2 (56)	370	52.4 (73)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 26  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)									
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>	
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)	Number	%  (Rank)
Pulaski	94	* *	50 * *	75 * *	25 * *	50 * *	206 74.3 (47)	415	37.1 (31)
Putnam	238	63.4 (33)	92 * *	184 7.6 (41)	73 * *	90 * *	443 78.3 (29)	950	53.9 (78)
Randolph	186	57.5 (53)	54 * *	117 10.3 (20)	31 * *	51 * *	265 69.1 (72)	639	39.0 (36)
Ripley	198	50.5 (67)	72 * *	144 4.9 (59)	51 * *	70 * *	377 84.4 (7)	790	58.0 (85)
Rush	93	* *	40 * *	77 * *	20 * *	39 * *	175 80.6 (18)	371	47.7 (53)
Scott	228	51.8 (65)	86 * *	166 5.4 (53)	51 * *	83 * *	495 76.4 (38)	986	53.5 (77)
Shelby	283	61.1 (43)	82 * *	184 4.9 (59)	47 * *	82 * *	483 71.2 (64)	1,067	48.1 (58)
Spencer	86	* *	39 * *	72 * *	21 * *	39 * *	187 83.4 (9)	371	46.1 (47)
St Joseph	1,887	70.6 (10)	709 29.9 (8)	1,395 14.9 (5)	460 19.6 (15)	707 9.2 (21)	3,645 73.6 (51)	7,538	17.7 (7)
Starke	189	61.9 (39)	78 * *	176 8.0 (35)	52 * *	73 * *	423 78.7 (26)	840	53.1 (75)
Steuben	254	79.5 (1)	110 19.1 (28)	231 5.6 (51)	54 * *	110 4.5 (37)	752 79.8 (21)	1,326	51.7 (71)
Sullivan	135	66.7 (22)	50 * *	75 * *	34 * *	50 * *	258 60.9 (85)	527	46.5 (50)
Switzerlan	51	* *	21 * *	33 * *	14 * *	21 * *	95 * *	193	63.7 (90)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 27  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)		Number %  (Rank)	
Tippecanoe	1,250	75.0 (5)	525 34.1 (3)	985 18.3 (1)	335 29.0 (1)	516 22.1 (1)	2,481 74.7 (44)		5,096 28.2 (19)	
Tipton	53	* *	25 * *	52 * *	14 * *	25 * *	139 77.0 (34)		268 42.5 (37)	
Union	42	* *	18 * *	33 * *	7 * *	18 * *	94 * *		191 45.5 (44)	
Vanderburg	1,211	48.1 (72)	436 13.1 (39)	790 5.1 (57)	260 15.8 (22)	432 7.4 (30)	1,817 68.3 (76)		4,139 13.0 (3)	
Vermillion	109	47.7 (73)	38 * *	78 * *	17 * *	37 * *	193 65.8 (80)		416 55.8 (82)	
Vigo	751	52.3 (64)	283 17.0 (31)	479 4.8 (61)	185 19.5 (16)	278 8.3 (23)	1,138 67.2 (77)		2,640 48.0 (56)	
Wabash	225	61.3 (41)	105 13.3 (38)	197 5.6 (51)	43 * *	105 7.6 (29)	480 71.9 (61)		971 33.0 (21)	
Warren	56	* *	17 * *	43 * *	8 * *	17 * *	135 73.3 (55)		258 58.5 (86)	
Warrick	248	56.5 (55)	101 13.9 (36)	157 8.9 (28)	64 * *	101 5.9 (34)	418 75.8 (40)		913 46.4 (49)	
Washington	172	64.0 (31)	63 * *	135 12.6 (12)	32 * *	61 * *	371 69.0 (73)		731 43.0 (39)	
Wayne	593	57.7 (51)	209 19.6 (26)	411 9.5 (25)	138 17.4 (18)	208 8.2 (25)	1,013 79.3 (24)		2,218 45.7 (46)	
Wells	154	70.1 (11)	61 * *	109 7.3 (44)	39 * *	61 * *	270 75.6 (41)		568 48.4 (59)	
White	221	65.2 (28)	85 * *	139 13.7 (7)	58 * *	84 * *	397 85.6 (5)		806 15.5 (4)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 28  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)								
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)	Number %  (Rank)
Whitley	220	70.9 (9)	96 * *	163 8.0 (35)	88 * *	95 * *	420 78.6 (27)	881 49.6 (62)
<b>Indiana</b>	<b>46,048</b>	<b>61.9</b>	<b>17,581 23.5</b>	<b>33,025 10.2</b>	<b>11,446 17.2</b>	<b>17,349 8.8</b>	<b>78,985 71.9</b>	<b>172,886 31.5</b>
<b>Nation (Prior Year)</b>	<b>1,719,083</b>	<b>62.0</b>	<b>848,761 26.9</b>	<b>1,038,203 19.1</b>	<b>144,421 12.9</b>	<b>206,416 7.2</b>	<b>744,697 74.8</b>	<b>3,277,352 10.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adams	502	8.8 (49)	6.2 (43)	2,097	6.8 (55)	2.7 (31)	10.7 (22)	904	15.4 (21)	14.2 (37)		1,522	24.0 (88)
Allen	8,114	9.7 (68)	4.3 (6)	31,376	7.0 (63)	3.3 (61)	12.2 (52)	14,034	17.1 (41)	13.4 (29)		21,984	20.8 (83)
Bartholome	1,610	8.7 (44)	7.5 (68)	5,358	5.6 (23)	2.5 (24)	10.6 (20)	2,140	16.5 (33)	14.3 (40)		3,714	9.9 (23)
Benton	133	5.3 (4)	10.5 (91)	608	4.1 (2)	1.3 (2)	14.0 (78)	301	22.6 (91)	19.9 (89)		431	14.2 (49)
Blackford	279	8.6 (41)	5.4 (29)	1,104	6.0 (34)	3.1 (52)	8.2 (3)	473	12.5 (1)	10.8 (8)		791	6.6 (6)
Boone	605	9.4 (63)	6.4 (50)	2,076	5.7 (26)	3.4 (65)	9.4 (8)	839	15.3 (20)	12.0 (13)		1,306	21.1 (85)
Brown	208	4.8 (2)	9.6 (90)	833	7.9 (82)	1.9 (8)	13.8 (75)	336	17.6 (52)	16.1 (71)		586	6.5 (5)
Carroll	240	7.9 (29)	8.3 (82)	1,016	5.5 (20)	2.3 (15)	15.2 (88)	441	16.8 (36)	19.3 (87)		759	18.1 (74)
Cass	1,108	7.7 (20)	6.6 (55)	4,670	4.7 (4)	2.9 (41)	14.1 (82)	2,140	15.2 (18)	17.6 (77)		3,505	10.8 (30)
Clark	1,928	9.5 (66)	5.4 (29)	6,417	8.3 (85)	2.6 (26)	13.0 (69)	2,341	17.8 (59)	17.0 (74)		4,438	15.7 (55)
Clay	663	6.6 (8)	8.0 (78)	3,105	5.2 (12)	3.1 (52)	13.1 (70)	1,548	17.5 (49)	15.1 (50)		2,218	9.7 (22)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 30  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton	945	7.1 (11)	7.8 (72)	4,001	6.2 (38)	1.4 (3)	15.1 (87)	1,803	18.5 (71)	18.6 (84)		2,975	9.0 (17)
Crawford	198	9.1 (55)	6.1 (41)	774	7.0 (63)	3.1 (52)	10.2 (14)	321	16.5 (33)	13.4 (29)		552	10.1 (26)
Daviess	607	10.5 (82)	3.3 (2)	2,186	7.2 (70)	1.7 (6)	16.6 (91)	924	19.8 (80)	21.4 (91)		1,441	18.0 (72)
Dearborn	928	8.4 (38)	6.8 (57)	3,654	5.4 (17)	2.6 (26)	10.4 (18)	1,519	19.0 (77)	12.6 (17)		2,603	13.9 (45)
Decatur	582	7.6 (18)	4.5 (10)	2,470	4.9 (5)	2.6 (26)	12.6 (63)	1,094	17.6 (52)	16.0 (69)		1,808	7.9 (12)
DeKalb	583	6.3 (6)	9.4 (88)	1,769	5.9 (29)	3.3 (61)	12.0 (47)	678	21.1 (88)	15.8 (65)		1,152	8.8 (15)
Delaware	2,407	10.5 (82)	4.4 (9)	8,264	6.2 (38)	6.4 (92)	9.7 (10)	3,114	14.2 (9)	11.8 (11)		5,572	17.1 (68)
Dubois	701	7.7 (20)	6.8 (57)	2,635	5.9 (29)	3.2 (59)	10.7 (22)	1,049	17.0 (40)	15.3 (59)		1,914	9.6 (21)
Elkhart	5,865	7.9 (29)	7.5 (68)	22,638	5.2 (12)	1.9 (8)	11.8 (45)	9,712	17.9 (60)	15.4 (60)		15,595	7.3 (8)
Fayette	657	8.8 (49)	7.0 (61)	2,359	6.8 (55)	3.1 (52)	10.3 (16)	969	18.9 (75)	12.7 (19)		1,595	22.9 (87)
Floyd	1,271	11.0 (87)	4.6 (11)	5,003	8.2 (84)	2.4 (19)	14.5 (85)	1,986	17.6 (52)	16.1 (71)		3,552	14.2 (49)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 31  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fountain	327	7.0 (9)	5.5 (33)	1,329	5.1 (11)	2.5 (24)	11.7 (42)		608	20.2 (83)	14.8 (49)	927	12.8 (40)
Franklin	309	10.4 (78)	6.1 (41)	1,128	8.0 (83)	3.5 (69)	12.9 (67)		466	18.0 (62)	15.9 (67)	765	31.1 (91)
Fulton	536	8.0 (34)	5.2 (24)	1,950	5.2 (12)	3.8 (73)	12.5 (59)		801	17.1 (41)	18.9 (85)	1,363	15.9 (58)
Gibson	522	8.4 (38)	2.9 (1)	2,146	6.3 (41)	2.4 (19)	11.8 (45)		879	18.0 (62)	12.6 (17)	1,550	10.8 (30)
Grant	1,670	10.3 (77)	5.6 (34)	6,263	6.8 (55)	4.1 (80)	13.5 (74)		2,616	17.7 (58)	17.1 (76)	4,383	26.1 (90)
Greene	520	8.3 (36)	4.8 (12)	2,015	7.6 (77)	2.4 (19)	13.3 (71)		833	16.9 (39)	17.0 (74)	1,443	10.7 (29)
Hamilton	1,881	9.1 (55)	6.4 (50)	7,291	6.1 (37)	3.4 (65)	10.3 (16)		2,995	14.8 (13)	12.8 (21)	5,233	13.9 (45)
Hancock	840	9.0 (51)	6.2 (43)	2,852	9.5 (90)	1.5 (4)	14.0 (78)		998	18.1 (66)	15.2 (52)	1,938	17.9 (71)
Harrison	691	9.8 (70)	5.1 (21)	2,721	9.4 (89)	1.9 (8)	15.6 (89)		1,110	18.7 (74)	19.8 (88)	2,000	14.9 (53)
Hendricks	1,320	8.2 (35)	7.7 (70)	3,914	7.4 (76)	4.7 (85)	11.6 (38)		1,330	17.9 (60)	13.8 (33)	2,389	18.4 (75)
Henry	979	9.3 (62)	6.4 (50)	3,752	4.0 (1)	4.5 (84)	7.7 (1)		1,639	13.4 (5)	10.1 (3)	2,810	10.0 (25)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 32  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)	
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Howard	1,965	9.4 (63)	5.2 (24)	7,755	6.7 (51)	3.3 (61)	11.7 (42)	3,323	18.1 (66)	14.5 (45)		5,707	19.9 (79)
Huntington	719	10.2 (74)	5.3 (26)	2,671	7.6 (77)	3.0 (47)	9.0 (6)	1,102	14.8 (13)	10.8 (8)		1,906	10.6 (28)
Jackson	1,000	7.0 (9)	5.9 (38)	3,799	6.7 (51)	1.8 (7)	12.6 (63)	1,519	21.3 (89)	18.3 (83)		2,726	9.4 (20)
Jasper	652	10.4 (78)	6.9 (59)	2,708	6.4 (43)	4.9 (88)	12.7 (65)	1,214	17.5 (49)	14.3 (40)		2,010	18.7 (77)
Jay	441	11.8 (90)	3.9 (4)	1,525	7.3 (73)	2.7 (31)	12.4 (56)	580	14.8 (13)	17.6 (77)		1,022	15.8 (57)
Jefferson	697	8.6 (41)	7.7 (70)	2,572	7.3 (73)	3.0 (47)	14.0 (78)	1,018	21.0 (87)	21.0 (90)		1,775	12.5 (39)
Jennings	771	9.1 (55)	7.8 (72)	3,397	7.2 (70)	2.9 (41)	12.9 (67)	1,632	15.7 (25)	13.1 (24)		2,569	21.1 (85)
Johnson	2,054	7.6 (18)	7.4 (67)	7,238	4.9 (5)	3.6 (70)	9.4 (8)	2,838	15.4 (21)	12.7 (19)		5,087	12.0 (37)
Knox	794	10.2 (74)	5.0 (17)	2,888	7.3 (73)	3.7 (71)	10.2 (14)	1,248	16.3 (30)	13.7 (32)		1,869	8.7 (14)
Kosciusko	1,208	8.7 (44)	6.7 (56)	4,359	6.6 (47)	1.9 (8)	13.4 (72)	1,731	18.9 (75)	17.6 (77)		2,960	11.5 (32)
LaGrange	393	10.7 (84)	5.3 (26)	1,678	5.8 (28)	2.4 (19)	9.8 (11)	723	20.2 (83)	13.3 (26)		1,205	9.0 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 33  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lake	12,510	10.9 (86)	5.3 (26)	48,830	5.9 (29)	3.4 (65)	11.1 (31)	21,031	14.2 (9)	11.8 (11)		35,046	16.8 (63)
LaPorte	2,506	10.7 (84)	4.9 (15)	9,126	7.2 (70)	2.8 (36)	13.8 (75)	3,792	17.2 (44)	14.2 (37)		6,204	13.2 (43)
Lawrence	902	7.5 (17)	5.7 (35)	3,314	6.2 (38)	2.1 (13)	11.6 (38)	1,311	16.6 (35)	14.6 (46)		2,294	9.9 (23)
Madison	2,747	8.7 (44)	5.8 (36)	9,314	8.4 (86)	2.3 (15)	12.1 (50)	3,632	18.0 (62)	13.2 (25)		6,305	20.6 (82)
Marion	26,976	10.0 (73)	6.2 (43)	82,629	6.9 (61)	4.8 (87)	12.4 (56)	30,010	16.4 (31)	14.7 (48)		50,107	16.9 (64)
Marshall	1,007	7.7 (20)	7.8 (72)	3,893	7.0 (63)	1.0 (1)	16.0 (90)	1,648	19.0 (77)	17.9 (81)		2,824	6.8 (7)
Martin	189	7.9 (29)	4.8 (12)	729	6.6 (47)	1.5 (4)	10.8 (26)	298	14.1 (8)	9.7 (2)		525	5.9 (2)
Miami	705	10.4 (78)	7.1 (62)	2,921	5.9 (29)	2.6 (26)	11.3 (34)	1,344	14.0 (7)	12.9 (22)		2,147	14.1 (47)
Monroe	1,907	7.8 (28)	8.5 (85)	7,614	5.3 (15)	2.9 (41)	12.2 (52)	3,232	18.6 (72)	15.7 (64)		5,365	14.1 (47)
Montgomery	826	9.0 (51)	8.1 (79)	3,087	6.7 (51)	2.8 (36)	12.5 (59)	1,308	19.3 (79)	18.2 (82)		2,138	14.4 (51)
Morgan	1,263	7.7 (20)	5.1 (21)	4,447	6.6 (47)	2.6 (26)	12.5 (59)	1,715	18.0 (62)	14.3 (40)		3,131	18.8 (78)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 34  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Newton	174	9.2 (59)	6.9 (59)	695	9.2 (88)	5.8 (89)	14.2 (84)	299	14.7 (11)	13.4 (29)		511	20.5 (81)
Noble	954	9.2 (59)	7.2 (65)	3,407	7.7 (79)	3.0 (47)	14.1 (82)	1,287	18.3 (69)	17.6 (77)		2,367	14.9 (53)
Ohio	25	* *	* *	128	6.3 (41)	4.7 (85)	10.9 (29)	64	* *	* *		97	* *
Orange	491	10.4 (78)	7.1 (62)	2,029	7.0 (63)	2.3 (15)	11.3 (34)	913	18.6 (72)	13.3 (26)		1,485	8.9 (16)
Owen	371	7.3 (14)	9.4 (88)	1,501	7.1 (68)	3.9 (78)	12.3 (54)	638	17.1 (41)	15.2 (52)		1,096	7.7 (10)
Parke	279	5.4 (5)	4.3 (6)	1,061	6.0 (34)	4.4 (82)	10.7 (22)	430	13.3 (4)	10.9 (10)		759	13.3 (44)
Perry	362	11.0 (87)	3.9 (4)	1,267	25.8 (92)	3.7 (71)	31.3 (92)	517	13.2 (3)	10.3 (4)		865	20.2 (80)
Pike	190	12.6 (91)	7.9 (77)	689	13.4 (91)	2.9 (41)	12.8 (66)	251	21.5 (90)	16.7 (73)		476	6.1 (3)
Porter	2,156	8.7 (44)	7.8 (72)	7,886	5.7 (26)	2.7 (31)	10.8 (26)	3,034	15.7 (25)	12.1 (14)		5,562	13.1 (42)
Posey	272	9.2 (59)	5.1 (21)	1,064	5.9 (29)	3.8 (73)	10.6 (20)	425	15.5 (23)	12.5 (16)		745	7.8 (11)
Pulaski	269	9.7 (68)	4.8 (12)	1,084	5.4 (17)	4.4 (82)	11.6 (38)	469	13.0 (2)	15.6 (61)		800	12.8 (40)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 35  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators												(3,4)		
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)		Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Putnam	730	8.5 (40)	8.1 (79)		2,814	6.7 (51)	3.4 (65)	12.5 (59)		1,194	16.8 (36)	14.1 (36)	1,989	6.4 (4)
Randolph	517	8.3 (36)	6.0 (39)		1,718	5.6 (23)	3.1 (52)	8.3 (4)		623	13.8 (6)	9.5 (1)	1,156	16.0 (60)
Ripley	610	8.7 (44)	6.2 (43)		2,437	5.4 (17)	2.8 (36)	12.4 (56)		1,030	16.0 (28)	15.2 (52)	1,764	18.4 (75)
Rush	292	9.9 (71)	6.2 (43)		1,139	5.0 (7)	5.8 (89)	10.1 (12)		463	14.9 (16)	14.0 (34)	779	15.7 (55)
Scott	658	9.0 (51)	3.6 (3)		2,684	6.5 (46)	2.9 (41)	10.8 (26)		1,150	15.9 (27)	15.1 (50)	1,897	11.5 (32)
Shelby	831	7.3 (14)	8.3 (82)		3,110	6.6 (47)	2.3 (15)	14.5 (85)		1,224	15.2 (18)	19.1 (86)	2,162	15.9 (58)
Spencer	283	6.4 (7)	4.9 (15)		1,123	7.1 (68)	2.0 (12)	13.4 (72)		492	20.9 (86)	15.2 (52)	841	5.8 (1)
St Joseph	5,657	9.5 (66)	7.1 (62)		21,046	5.3 (15)	3.3 (61)	10.7 (22)		8,880	14.7 (11)	12.1 (14)	13,902	16.4 (61)
Starke	585	7.2 (13)	8.2 (81)		2,330	5.5 (20)	2.1 (13)	14.0 (78)		1,005	18.4 (70)	16.0 (69)	1,778	17.0 (66)
Steuben	833	7.9 (29)	7.3 (66)		3,925	5.0 (7)	3.8 (73)	11.2 (32)		1,924	17.6 (52)	14.2 (37)	2,876	11.6 (34)
Sullivan	403	7.4 (16)	5.0 (17)		1,582	6.8 (55)	3.8 (73)	11.7 (42)		702	19.8 (80)	15.8 (65)	1,114	14.5 (52)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Switzerlan	141	5.0 (3)	5.0 (17)	561	5.0 (7)	6.2 (91)	8.0 (2)	252	15.1 (17)	10.7 (6)		413	11.9 (36)
Tippecanoe	3,709	7.7 (20)	8.7 (86)	14,616	5.0 (7)	3.2 (59)	12.3 (54)	6,347	17.3 (47)	15.2 (52)		10,555	16.9 (64)
Tipton	205	10.2 (74)	5.4 (29)	822	8.9 (87)	2.8 (36)	11.3 (34)	349	16.0 (28)	14.6 (46)		603	7.3 (8)
Union	128	4.7 (1)	7.8 (72)	562	4.6 (3)	3.0 (47)	10.1 (12)	239	20.5 (85)	10.5 (5)		420	21.0 (84)
Vanderburg	3,495	11.5 (89)	5.4 (29)	12,171	7.0 (63)	2.7 (31)	10.9 (29)	4,491	16.4 (31)	13.3 (26)		8,372	10.5 (27)
Vermillion	297	7.7 (20)	6.4 (50)	1,173	7.7 (79)	2.9 (41)	12.0 (47)	508	17.3 (47)	15.2 (52)		838	18.0 (72)
Vigo	2,241	9.1 (55)	6.3 (49)	7,519	6.8 (55)	3.1 (52)	11.4 (37)	2,758	16.8 (36)	15.6 (61)		5,028	11.8 (35)
Wabash	638	8.6 (41)	5.0 (17)	2,568	6.8 (55)	2.4 (19)	11.6 (38)	1,132	17.6 (52)	14.4 (43)		1,853	8.5 (13)
Warren	154	7.1 (11)	9.1 (87)	710	5.5 (20)	4.1 (80)	9.2 (7)	319	20.1 (82)	12.9 (22)		500	17.0 (66)
Warrick	696	9.9 (71)	6.0 (39)	2,712	7.8 (81)	3.9 (78)	13.9 (77)	1,148	17.2 (44)	15.9 (67)		1,936	12.3 (38)
Washington	531	9.4 (63)	4.3 (6)	2,229	6.4 (43)	3.0 (47)	10.4 (18)	975	17.6 (52)	14.4 (43)		1,619	9.0 (17)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 37  
Run Date: 3 / 23 / 10

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)			Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Wayne	1,621	7.9 (29)	5.8 (36)	6,137	6.0 (34)	2.8 (36)	12.1 (50)	2,521	18.2 (68)	15.2 (52)		4,236	16.4 (61)
Wells	392	7.7 (20)	6.4 (50)	1,543	6.4 (43)	3.1 (52)	8.6 (5)	647	15.5 (23)	10.7 (6)		1,129	17.2 (69)
White	557	7.7 (20)	8.3 (82)	2,232	5.6 (23)	2.7 (31)	11.2 (32)	945	17.2 (44)	14.0 (34)		1,646	24.8 (89)
Whitley	633	9.0 (51)	6.2 (43)	2,346	6.9 (61)	3.8 (73)	12.0 (47)	995	17.5 (49)	15.6 (61)		1,676	17.4 (70)
Indiana	134,341	9.3	6.2	488,888	6.5	3.4	12.0	199,830	16.6	14.3		335,581	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 38  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)										
	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>
<b>County</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Adams	567	74.4 (2)	390	20.0 (25)	397	9.6 (28)	362	14.9 (19)	381	8.4 (19)
Allen	8,806	58.8 (55)	5,928	19.0 (28)	6,687	9.4 (32)	5,452	11.6 (49)	5,735	7.5 (31)
Bartholome	1,792	64.3 (33)	1,148	18.3 (34)	1,123	8.8 (40)	1,067	12.4 (38)	1,124	7.5 (31)
Benton	159	57.9 (62)	101	20.8 (20)	115	12.2 (10)	95	* *	99	* *
Blackford	304	66.1 (23)	218	15.6 (52)	233	7.3 (55)	204	13.7 (27)	216	8.3 (22)
Boone	675	56.4 (66)	391	21.7 (15)	437	9.4 (32)	375	14.1 (23)	386	7.3 (34)
Brown	242	70.2 (9)	172	21.5 (16)	171	12.9 (7)	157	16.6 (13)	167	5.4 (65)
Carroll	275	65.1 (28)	206	24.3 (9)	217	12.0 (11)	184	17.4 (10)	200	8.5 (17)
Cass	1,222	59.7 (48)	915	20.9 (19)	988	10.5 (20)	833	8.2 (82)	890	4.9 (74)
Clark	2,291	61.5 (40)	1,429	21.1 (18)	1,400	10.4 (21)	1,396	13.0 (32)	1,403	8.3 (22)
Clay	716	58.2 (59)	549	16.4 (47)	615	7.5 (53)	503	8.7 (78)	541	6.7 (46)
Clinton	1,046	71.8 (6)	801	18.5 (31)	817	9.1 (37)	725	9.4 (71)	788	4.9 (74)
Crawford	214	59.8 (47)	170	15.3 (54)	163	9.8 (26)	153	12.4 (38)	167	7.2 (37)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 39  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Daviess	686	52.3 (80)	428	12.6 (74)	493	4.7 (83)	421	7.1 (87)	424	4.2 (83)	987	69.2 (62)	1,277	31.2 (24)
Dearborn	1,032	53.6 (75)	738	8.9 (87)	738	4.9 (80)	673	8.8 (76)	713	5.0 (72)	1,615	78.3 (18)	2,109	53.0 (78)
Decatur	653	58.0 (61)	502	12.2 (77)	516	4.8 (81)	450	9.3 (73)	481	4.6 (79)	1,168	74.3 (38)	1,371	55.2 (86)
DeKalb	682	59.1 (53)	372	15.1 (56)	358	5.6 (76)	360	12.5 (36)	364	7.1 (41)	730	71.2 (52)	1,176	55.4 (87)
Delaware	2,615	58.7 (56)	1,676	14.1 (61)	1,675	6.4 (67)	1,555	13.4 (29)	1,611	7.3 (34)	2,356	71.9 (50)	4,110	28.1 (17)
Dubois	807	72.4 (5)	587	29.3 (2)	566	14.5 (4)	530	13.0 (32)	557	6.5 (50)	1,141	70.6 (58)	1,553	36.2 (35)
Elkhart	6,550	70.9 (8)	4,353	28.2 (5)	4,684	12.7 (9)	4,046	12.3 (41)	4,218	6.2 (54)	10,423	71.9 (50)	12,900	19.9 (3)
Fayette	721	59.4 (51)	481	14.8 (57)	491	6.7 (62)	444	7.9 (83)	475	3.4 (87)	1,038	70.8 (56)	1,406	46.7 (55)
Floyd	1,480	61.0 (43)	1,069	13.1 (69)	1,045	8.0 (45)	959	9.9 (62)	1,016	5.1 (70)	2,114	73.6 (40)	2,928	46.0 (50)
Fountain	379	54.1 (73)	237	17.3 (40)	276	10.1 (23)	217	9.7 (64)	234	6.8 (45)	660	79.8 (11)	809	45.0 (49)
Franklin	333	54.7 (71)	228	10.5 (84)	241	7.5 (53)	207	8.7 (78)	221	3.2 (88)	502	74.5 (36)	663	49.3 (64)
Fulton	587	58.4 (57)	388	15.2 (55)	391	8.2 (43)	369	11.9 (45)	378	6.6 (47)	839	68.8 (65)	1,110	21.9 (7)
Gibson	616	44.5 (90)	466	11.6 (80)	446	4.7 (83)	412	9.7 (64)	452	5.5 (63)	942	73.1 (43)	1,262	47.5 (57)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 40  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Grant	1,831	48.6 (84)	1,285	12.3 (76)	1,374	5.5 (77)	1,190	8.7 (78)	1,261	4.8 (78)	2,861	65.2 (77)	3,540	33.3 (29)
Greene	588	57.1 (64)	425	12.5 (75)	431	6.5 (66)	382	10.2 (61)	417	7.0 (42)	767	87.9 (2)	1,086	41.5 (47)
Hamilton	2,140	69.4 (11)	1,526	26.0 (8)	1,532	12.9 (7)	1,410	16.0 (14)	1,466	9.0 (15)	3,175	78.3 (18)	4,353	30.2 (21)
Hancock	979	64.7 (29)	648	18.5 (31)	639	8.0 (45)	622	18.3 (6)	638	8.8 (16)	1,064	72.8 (44)	1,746	27.2 (15)
Harrison	772	69.4 (11)	589	16.3 (48)	583	7.2 (56)	523	15.1 (16)	580	10.0 (8)	1,207	72.4 (46)	1,608	52.2 (75)
Hendricks	1,506	67.5 (19)	891	23.2 (11)	821	13.6 (6)	850	18.2 (7)	857	10.3 (6)	1,427	83.1 (7)	2,544	34.3 (32)
Henry	1,067	68.7 (14)	732	17.1 (42)	755	7.2 (56)	681	15.0 (18)	714	9.7 (10)	1,772	59.8 (84)	2,143	51.1 (72)
Howard	2,179	54.3 (72)	1,618	13.6 (65)	1,646	6.7 (62)	1,470	12.0 (44)	1,580	8.0 (24)	3,594	69.6 (61)	4,368	26.1 (13)
Huntington	803	60.9 (45)	552	13.9 (63)	560	6.4 (67)	525	11.0 (54)	546	6.6 (47)	1,186	64.3 (80)	1,510	26.7 (14)
Jackson	1,130	62.0 (39)	819	17.2 (41)	824	7.8 (49)	743	9.3 (73)	803	6.0 (56)	1,641	75.0 (33)	2,165	40.0 (43)
Jasper	752	67.4 (20)	561	16.8 (44)	576	9.0 (39)	516	17.1 (11)	545	9.7 (10)	1,310	65.8 (75)	1,563	36.7 (37)
Jay	485	66.2 (22)	317	17.4 (39)	309	5.5 (77)	294	15.6 (15)	307	7.8 (28)	618	73.3 (41)	913	39.3 (39)
Jefferson	767	64.5 (31)	513	20.7 (21)	532	10.2 (22)	478	14.0 (24)	499	9.2 (14)	1,115	75.1 (31)	1,491	31.9 (26)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 41  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Jennings	851	54.8 (70)	639	10.8 (83)	675	3.9 (88)	567	10.8 (57)	636	5.7 (62)	1,766	79.2 (16)	1,862	49.2 (62)
Johnson	2,340	65.9 (25)	1,571	20.4 (22)	1,491	9.7 (27)	1,459	14.5 (21)	1,521	7.2 (37)	2,930	67.2 (72)	4,448	21.5 (6)
Knox	877	46.1 (87)	527	12.9 (71)	599	6.0 (70)	500	8.8 (76)	517	4.3 (82)	1,316	63.2 (81)	1,748	41.1 (46)
Kosciusko	1,399	68.0 (16)	927	26.2 (7)	966	11.9 (12)	910	12.5 (36)	916	7.4 (33)	1,841	70.2 (60)	2,668	40.7 (45)
LaGrange	488	66.0 (24)	354	17.8 (37)	369	10.0 (25)	326	17.8 (9)	351	10.5 (4)	772	76.8 (25)	1,005	47.5 (57)
Lake	13,785	63.1 (36)	9,564	17.9 (36)	9,753	9.2 (35)	8,634	6.7 (89)	9,321	4.2 (83)	22,523	57.2 (86)	28,441	20.4 (5)
LaPorte	2,789	57.4 (63)	1,812	28.6 (4)	1,883	15.7 (3)	1,650	11.8 (46)	1,733	8.5 (17)	3,566	44.0 (90)	5,369	34.6 (33)
Lawrence	1,006	66.5 (21)	660	15.5 (53)	670	7.8 (49)	608	11.7 (48)	650	6.9 (43)	1,415	77.4 (22)	1,933	46.9 (56)
Madison	3,019	55.7 (69)	1,809	17.8 (37)	1,883	9.1 (37)	1,712	12.7 (35)	1,792	7.6 (30)	3,828	67.8 (71)	5,576	47.8 (59)
Marion	29,118	60.0 (46)	17,215	23.2 (11)	18,560	11.4 (15)	16,333	9.5 (68)	16,591	5.8 (59)	29,141	65.5 (76)	48,642	20.0 (4)
Marshall	1,127	67.8 (17)	794	21.4 (17)	798	11.4 (15)	737	14.7 (20)	777	8.4 (19)	1,770	66.1 (74)	2,245	9.1 (1)
Martin	201	53.7 (74)	152	15.8 (51)	163	8.6 (41)	137	12.4 (38)	147	10.2 (7)	318	92.1 (1)	398	29.9 (20)
Miami	765	59.3 (52)	564	14.2 (60)	566	7.1 (59)	520	14.2 (22)	557	7.9 (27)	1,445	70.3 (59)	1,639	39.5 (40)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 42  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Monroe	2,102	76.6 (1)	1,524	30.2 (1)	1,545	18.3 (1)	1,337	21.8 (2)	1,439	14.4 (2)	2,549	85.1 (4)	3,604	24.9 (10)
Montgomery	926	62.2 (37)	604	17.1 (42)	657	7.6 (52)	571	8.9 (75)	591	4.9 (74)	1,399	81.3 (8)	1,802	46.6 (54)
Morgan	1,403	58.4 (57)	968	11.4 (81)	949	4.7 (83)	899	10.8 (57)	947	5.8 (59)	1,831	79.1 (17)	2,671	55.4 (87)
Newton	204	64.2 (34)	155	16.8 (44)	140	4.3 (87)	143	18.2 (7)	154	10.4 (5)	325	58.8 (85)	421	48.5 (60)
Noble	1,084	64.4 (32)	780	19.0 (28)	774	9.3 (34)	721	10.7 (60)	760	5.9 (57)	1,392	70.8 (56)	2,042	35.8 (34)
Ohio	28	* *	21	* *	21	* *	18	* *	20	* *	66	* *	62	* *
Orange	531	69.9 (10)	397	13.9 (63)	412	7.8 (49)	352	11.1 (53)	390	4.9 (74)	978	71.2 (52)	1,096	33.9 (31)
Owen	380	65.8 (26)	289	20.4 (22)	311	10.9 (17)	251	13.9 (25)	277	9.4 (13)	696	79.3 (15)	850	48.6 (61)
Parke	305	53.4 (76)	225	12.0 (78)	218	6.4 (67)	203	9.4 (71)	224	5.8 (59)	456	72.8 (44)	613	53.7 (83)
Perry	406	44.8 (89)	254	8.3 (91)	238	3.8 (89)	249	7.6 (85)	252	3.2 (88)	560	61.6 (83)	790	54.8 (85)
Pike	232	53.0 (77)	145	22.1 (14)	147	9.5 (31)	129	19.4 (5)	137	7.3 (34)	276	43.1 (91)	422	64.5 (91)
Porter	2,494	67.7 (18)	1,730	19.4 (26)	1,650	9.2 (35)	1,627	15.1 (16)	1,672	7.2 (37)	3,263	79.7 (12)	4,686	31.0 (22)
Posey	310	48.7 (83)	228	8.8 (90)	222	4.5 (86)	209	11.5 (50)	227	6.2 (54)	460	72.4 (46)	612	52.9 (77)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 43  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Pulaski	301	59.1 (53)	225	12.0 (78)	235	6.8 (60)	202	10.9 (56)	222	7.2 (37)	511	73.2 (42)	600	32.8 (28)
Putnam	789	61.3 (41)	561	12.7 (73)	570	5.8 (72)	529	9.5 (68)	544	5.0 (72)	1,267	77.6 (20)	1,600	52.1 (74)
Randolph	584	61.0 (43)	338	18.9 (30)	336	11.9 (12)	309	16.8 (12)	314	9.9 (9)	667	77.4 (22)	1,051	40.4 (44)
Ripley	671	50.5 (82)	492	9.3 (86)	495	3.8 (89)	455	7.0 (88)	486	4.5 (80)	1,093	86.5 (3)	1,362	56.4 (89)
Rush	319	56.4 (66)	244	16.0 (50)	235	8.5 (42)	223	7.6 (85)	237	4.2 (83)	503	69.0 (64)	650	49.7 (68)
Scott	735	48.2 (85)	525	12.8 (72)	562	5.7 (73)	475	6.5 (90)	511	3.9 (86)	1,235	76.5 (27)	1,493	50.7 (71)
Shelby	928	58.2 (59)	635	14.5 (59)	651	6.6 (64)	554	9.7 (64)	624	6.6 (47)	1,321	66.7 (73)	1,825	49.2 (62)
Spencer	309	46.0 (88)	222	13.5 (67)	222	6.8 (60)	199	9.5 (68)	216	5.1 (70)	541	76.7 (26)	650	46.5 (53)
St Joseph	6,316	69.2 (13)	4,152	26.9 (6)	4,502	13.9 (5)	3,896	13.1 (30)	4,070	8.4 (19)	9,471	71.1 (54)	12,163	15.4 (2)
Starke	641	64.1 (35)	515	13.4 (68)	514	6.6 (64)	463	13.6 (28)	498	7.8 (28)	1,086	72.3 (48)	1,288	53.0 (78)
Steuben	935	72.8 (4)	708	19.1 (27)	774	7.2 (56)	646	12.8 (34)	701	5.3 (69)	2,079	75.0 (33)	2,083	50.4 (69)
Sullivan	449	64.6 (30)	292	11.3 (82)	291	5.2 (79)	271	7.7 (84)	287	2.1 (90)	736	47.4 (89)	908	39.5 (40)
Switzerlan	155	39.4 (91)	112	8.9 (87)	105	5.7 (73)	101	9.9 (62)	112	5.4 (65)	271	77.1 (24)	323	60.7 (90)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 44  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Tippecanoe	4,077	74.4 (2)	2,854	28.7 (3)	3,029	16.1 (2)	2,580	22.6 (1)	2,730	15.5 (1)	6,819	75.0 (33)	8,083	24.9 (10)
Tipton	221	52.9 (79)	170	10.0 (85)	177	9.6 (28)	156	11.5 (50)	169	5.9 (57)	377	75.9 (29)	464	50.4 (69)
Union	150	56.0 (68)	110	18.2 (35)	113	10.6 (19)	102	11.8 (46)	107	6.5 (50)	260	76.2 (28)	333	52.3 (76)
Vanderburg	3,876	46.2 (86)	2,616	8.9 (87)	2,601	4.8 (81)	2,384	8.7 (78)	2,572	4.5 (80)	4,838	52.4 (88)	7,198	22.5 (8)
Vermillion	334	51.8 (81)	230	16.1 (49)	241	7.9 (47)	218	13.8 (26)	226	8.0 (24)	547	68.4 (69)	659	53.4 (82)
Vigo	2,469	56.9 (65)	1,555	13.1 (69)	1,602	6.0 (70)	1,442	9.6 (67)	1,517	5.4 (65)	2,970	69.2 (62)	4,442	27.6 (16)
Wabash	707	59.7 (48)	518	14.1 (61)	562	5.7 (73)	464	11.2 (52)	510	5.5 (63)	1,211	68.7 (68)	1,442	31.4 (25)
Warren	186	61.3 (41)	130	14.6 (58)	148	3.4 (91)	118	11.0 (54)	130	6.9 (43)	344	75.3 (30)	386	53.1 (81)
Warrick	775	53.0 (77)	500	13.6 (65)	537	8.2 (43)	468	12.2 (42)	492	6.5 (50)	1,229	54.5 (87)	1,590	53.0 (78)
Washington	588	62.1 (38)	440	16.6 (46)	459	9.6 (28)	374	13.1 (30)	425	8.0 (24)	1,052	71.0 (55)	1,245	49.5 (66)
Wayne	1,812	59.6 (50)	1,234	18.5 (31)	1,269	10.1 (23)	1,138	10.8 (57)	1,210	5.4 (65)	2,698	68.3 (70)	3,575	43.7 (48)
Wells	439	71.1 (7)	304	20.4 (22)	317	7.9 (47)	275	20.7 (4)	294	9.5 (12)	692	72.1 (49)	885	31.0 (22)
White	607	65.6 (27)	438	22.4 (13)	468	10.7 (18)	385	12.2 (42)	428	6.5 (50)	1,035	77.6 (20)	1,244	29.7 (19)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Indiana**

Page: 45  
Run Date: 3 / 23 / 10

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)									
	<b>Breastfeeding</b> (6)			<b>Exclusive Breastfeeding</b> (7)			<b>≤2 Hours TV Viewing/Day</b> (8)	<b>Smoking in Household</b>	
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number %  (Rank)	Number %  (Rank)	
Whitley	718	68.7 (14)	495 23.8 (10)	471 11.9 (12)	478 21.8 (2)	481 13.3 (3)	1,050 74.0 (39)	1,366 46.0 (50)	
Unknown Counties	0	* *	0 * *	0 * *	0 * *	0 * *	0 * *	3 * *	
<b>Indiana</b>	<b>148,710</b>	<b>61.7</b>	<b>98,942 19.7</b>	<b>103,011 9.8</b>	<b>91,540 11.6</b>	<b>96,166 6.8</b>	<b>208,438 68.2</b>	<b>282,332 30.5</b>	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

